

Industrial Vacuum Cleaners

**For Heavy Duty
Clean-Up of
Machines, Floors and
Workstations**

EUROSOG
DUROSOG
WHISPERSOG
SPÄNESOG
MULTISOG

Application Range

- Construction Industry
- Chemical Industry
- Printing Industry
- Flocking Industry
- Janitorial Services
- Warehouses and Industrial Plants
- Craftsmen's Workshops
- Automotive Repair Shops
- Machine Building Industry
- Natural and Man-made
Stone Processing (Stone Masons)
- Paper Industry
- Carpenters
- Textile Industry
- Transportation Businesses



EUROSOG for direct extraction of wood dust



DUROSOG in action cleaning a production machine



WHISPERSOG here used for floor clean up



SPÄNESOG in the metalworking industry




MULTISOG clean-up a boring machine



EUROSOG with crevice tool

Test Certification:



Industrial Vacuum Cleaners

ESTA Industrial Vacuum Cleaners – Introduction and Product Overview

Introduction



ESTA industrial vacuum cleaners offer a solution for any application. All our products are characterized by superior vacuum performance and high quality workmanship. The compact design of these industrial strength vacuum cleaners and the high manoeuvrability with casters and wheels gives them high mobility.



Product Overview

The EUROSOG series is the workhorse for dry types of dust. It is available in AC or three-phase current powered models. The DUROSOG models are recommended for sticky dust, textile lint and threads. With the addition of a piggy-back pre-separator this unit can be utilized to vacuum up metal chips with coolants. The WHISPERSOG is a very quiet but also very powerful industrial vacuum cleaner, which was specifically designed for continuous duty applications.

For the extraction of metal chips and emulsions we recommend our SPÄNESOG model. The MULTISOG models can be used for wet and dry applications. The handy PRETTYBOY 309 and the ESTA FURNACE CLEANER round out our selection.



ESTA Industrial Vacuum Cleaners – Advantages that Pay Off

Extensive Range of Accessories and Optional Features

Our extensive selection of accessories and options offers a perfect solution for all of your dust problems. Here are some examples of our accessories and optional features:

Accessories

- Pre-separators for different types of materials
- Vacuum attachments
- Hoses and connectors

Equipment Options

- Special voltages
- Special filters
- Custom paint finishes
- Exhaust air mufflers



High Vacuum Power and Mobility

ESTA industrial vacuum cleaners are powerful and highly mobile. This makes them extremely versatile for intermittent tasks or continuous duty even for multi-shift applications – we always have the right equipment for your jobs.



Workmanship

ESTA industrial vacuum cleaners stand for quality. Our high quality standards are maintained with the help of:

- Internal and final equipment quality inspections
- Certified production facilities
- Equipment certifications by independent testing facilities such as TÜV, BG etc.
- German engineering

Product Test Certificates:



Industrial Vacuum Cleaners

Your Benefits At a Glance

EUROSOG-W

- High performance industrial vacuum cleaners for dry dust types
- Compact and user friendly design
- Easy no mess disposal of the filter bag
- Option: Test Certificate for dust classification M and H



EUROSOG-W

Product Description

The EUROSOG is a heavy duty industrial vacuum for coarse, fine and pourable types of dust. It can be moved around effortlessly. The patented tilt-back mechanism permits easy disposal of the filter bag.



The angled vacuum nozzle can get the dust and dirt even in the smallest crevices

Features

Application Range:

- Clean up work of coarse and fine dust

Special Features:

- Manual brush cleaning mechanism for cleaning of the cartridge filter
- Availability of cleanable cartridge filters for dust classifications M, H
- Test certificates M, H available
- Patented tilt-back filter housing
- AC powered model

Technical Data

EUROSOG		-W	-I-D
Max. airflow	m ³ /h	360	260
Intake diameter	mm	50	50
Max. negative pressure	Pa	22.000	20.000
Voltage	V	230	400
Motor	kW	3 x 1,0	2,2
Filter surface	m ²	2 / 5	2 / 5
Dust collection container	Ltr	80	80
Dimensions (L/W/H)	mm	920 x 655 x 1.230	1.030 x 670 x 1.240
Weight	kg	74	81
Sound level	dB(A)	77	77
Order Number		see on the right	see on the right

Test Certificates (AC current models)

EUROSOG-W/N
(standard model)
Order No. 80.198



EUROSOG-W/M
with TÜV test certificate for dust classification M
Order No. 80.399



EUROSOG-W/H
with TÜV test certificate for dust classification H
Order No. 80.299

Your Benefits At a Glance

EUROSOG-I-D

- High performance industrial vacuum cleaners for dry dust types
- Rated for defined continuous duty applications
- Compact and versatile design
- Convenient disposal of the filter bag
- Options: Test certificate according to dust classification M and H; as well as additional test certification B1 and H2 for wood dust



Gold Medal Award recipient from the Secretary of Economics for outstanding innovative achievements.



EUROSOG-I-D

Product Description

Unlike the EUROSOG-W (AC current) the EUROSOG-I-D (three-phase current) is suitable for defined continuous duty applications. All other features are comparable with the AC powered model.



EUROSOG-I-D with floor tool for clean-up in the shop

Features

Application Range:

- Recommended for clean up work of coarse and fine dust
- EUROSOG-I-D with test certificate H2 also for the direct extraction in wood-working applications

Special Features:

- Manual brush cleaning mechanism for cleaning of the cartridge filter
- Availability of cleanable cartridge filters for dust classifications M, H
- Test certificates M, H, H2 and B1 available
- Three-phase current model
- Optional ATEX version



Test Certificates (Three-phase current models)

EUROSOG-I-D/N
(standard model)
Order No. 81.198



EUROSOG-I-D/M
with TÜV test certificate for dust classification M
Order No. 81.399



EUROSOG-I-D/H
with TÜV test certificate for dust classification H
Order No. 81.299



EUROSOG-I-D/M/B1
with TÜV test certificate for dust classification M and additional test certification B1 (suitable for vacuuming dry and flammable types of dust in zone 22).
Order No. 81.397



EUROSOG-I-D/H/B1
with TÜV test certificate for dust classification H and additional test certification B1 (suitable for

vacuuming dry and flammable types of dust in zone 22).

Order No. 81.297



EUROSOG-I-D/M/B1/H2
with TÜV test certificate for dust classific. M and additional test certific. B1 (suitable for vacuuming dry and flammable types of dust in zone 22) and TÜV test certificate H2 for wood dust.

Order No. 81.291

Industrial Vacuum Cleaners

Your Benefits At a Glance

DUROSOG-W

- With the use of special filtration technology this model is suitable for dry dust, sticky dust and dust that tends to clump
- Compact and user friendly design
- Convenient dust disposal in a paper filter bag
- Option: Test certificates for dust classification M and H

Product Description

Utilizing special filtration technology the ESTA DUROSOG is suitable for dry dust, sticky dust and dust that tends to clump. A pre-separator container catches the coarser dust particles

and the fine dust is collected in the disposable paper filter bag.



DUROSOG-W



DUROSOG-W in use



The pre-separator container can be removed with one easy step. This is where the coarser dust and debris will be collected.



Easy disposal of the dust with a disposable paper filter bag.

Technical Data

DUROSOG		-W
Max. airflow	m ³ /h	350
Intake diameter	mm	50
Max. negative pressure	Pa	22.000
Voltage	V	230
Motor	kW	3 x 1,0
Filter surface *	m ²	3
Dust collection container	Ltr	70
Dimensions (L/W/H)	mm	660 x 660 x 950
Weight	kg	41
Sound level	dB(A).	74
Order Number		
DUROSOG-W/N (Standard model)		8024N
DUROSOG-W/M (Dust classification M)		8024M
DUROSOG-W/H (Dust classification H)		8024H

* Filter only with certified model

Tested for dust classification M and H



Features

Application Range:

- For sticky substances and dust that tends to clump

Special Features:

- Pre-separator
- Disposable paper filter bag
- Test certificates for dust classification M and H available

Your Benefits At a Glance

DUROSOG-I-D

- For defined continuous duty applications
- Special filtration technology makes this unit suitable for dry, sticky types of dust and dust that has a tendency to clump
- Compact and user friendly design
- Convenient dust disposal
- Option: Test certificates for dust classification M, H und B1

Product Description

Unlike the DUROSOG-W AC current model the DUROSOG-I-D model (three-phase current) is designed for defined continuous duty applications. With the additional test certificate B1 the unit

can also be used for flammable types of dust in zone 22.


All other specifications of this model are identical with the DUROSOG-W.



DUROSOG-I-D



DUROSOG-I-D in operation



Technical Data

DUROSOG		-I-D
Max. airflow	m ³ /h	275
Intake diameter	mm	50
Max. negative pressure	Pa	22.000
Voltage	V	400
Motor	kW	2,2
Filter surface *	m ²	3
Dust collection container	Litre	70
Dimensions (L/W/H)	mm	850 x 630 x 950
Weight	kg	80
Sound level	dB(A)	72
Order Number		
DUROSOG-I-D/N (Standard model)		8120N
DUROSOG-I-D/M (Dust classification M)		8120M
DUROSOG-I-D/H (Dust classification H)		8120H
DUROSOG-I-D/M/B1 (Dust class. M, Test certificate B1)		8121B
DUROSOG-I-D/H/B1 (Dust class. H, Test certificate B1)		8122B

* Filter only with certified model

Features

Application Range:

- Three-phase powered industrial vacuum cleaner for defined continuous duty applications – ideal for sticky substances and dust that tends to clump

Special Feature:

- Pre-separator container
- Disposable paper filter
- Test certificate for dust classification M, H, B1 available



With TÜV test certificate for dust classification M, H and additional test certificate B1 (suitable for vacuuming dry, flammable types of dust in zone 22)



Industrial Vacuum Cleaners

Your Benefits At a Glance

WHISPERSOG

- Very quiet and powerful industrial vacuum cleaner for dry dust
- Designed for continuous duty applications
- Regenerative long life cartridge filter
- Convenient disposal of the dust bag with the patented tilt-back mechanism

Product Description

The WHISPERSOG operates more quietly at the same performance level than conventional industrial vacuums. It can be used not only as an industrial vacuum but also as a mobile extractor

connected to machines that are generating dust. Filter cleaning is easy with the crank handle that activates a brush mechanism inside the filter housing. The cleanable long life filters lower the operating costs of the unit compared to the use of throw away filter elements. The collected dust can be removed effortlessly with the patented tilt-back mechanism.



High vacuum WHISPERSOG



The WHISPERSOG is suitable for many applications

Technical Data

WHISPERSOG		2,2	3,0
Max. airflow	m ³ /h	300	216
Intake diameter	mm	50	50
Max. negative pressure	Pa	21.000	31.500
Voltage	V	400	400
Motor	kW	2,2	3,0
Filter surface	m ²	2	2
Dust collection container	Litre	80	80
Dimensions (L/W/H) (manual filter cleaning)	mm	1.300 x 640 x 1.250	1.300 x 640 x 1.250
Weight	kg	105	120
Sound level	dB(A)	73	75
Order Number			
Manual filter cleaning system		83.101	83.102
Pneumatic filter cleaning system		83.201	83.202
Pulse-jet-cleaning		83.113	-

Features

Application Range:

- Clean up work of coarse, fine and pourable types of dust
- Direct extraction of dust from handheld tools and equipment

Special Features:

- Manual brush cleaning mechanism, pneumatic filter cleaning system or pulse-jet filter cleaning system
- Cleanable long life cartridge filter for dust classification M

Your Benefits At a Glance

Pre-separator Systems for Industrial Vacuum Cleaners and/or mobile Extractors

- The ideal complement for industrial vacuums for applications with solid dry dust types as well as large quantities of chips



Piggy-back-pre-separator for DUROSOG models

Product Description

Specialized pre-separator for DUROSOG models

The piggy-back pre-separator can be added to any DUROSOG model because each unit comes standard with the brackets already attached to the collection tank.

Function Description

Metal chips that are soaked in cutting fluid are vacuumed into

the pre-separator container in which a vertically positioned mesh partition separates the metal chips from the fluid. While the metal chips and solids remain on one side the liquid fills up on the other side. When it reaches the maximum fill level a float valve will shut off the suction.



Which pre-separator should be used for which application?

Dry

Heavy, coarse substances and larger quantities of dust.

Scope of Delivery:

Wheel base, pre-separator container with plastic bag insert, cover with intake and outlet connection to the vacuum.

Pre-separator TR 1 with 100 Litre container **Order No. 1100**

Pre-separator TR 2 with 200 Litre container **Order No. 1200**

Wet

Materials that are soaked in liquid (metal chips and coarse particles etc.) will be collected in a strainer basket, while the liquid drains down into a collection container that can be emptied through a drain valve.

Scope of Delivery:

Wheel base, pre-separator container and strainer basket, cover with float valve and intake and outlet connection to the vacuum.

Pre-separator NA 1 with 100 Litre container **Order No. 1102**

Pre-separator NA 2 with 200 Litre container **Order No. 1202**

Light Material and Dust

Large quantities of light materials and dust should be collected in a disposable paper filter bag.

Scope of Delivery:

Wheel base, pre-separator container with hose connection on the side, filter cage and cloth filter bag for inserting disposable paper filter bags and connection to the vacuum cleaner.

Pre-separator ST 1 with 100 Litre container **Order No. 1103**

Pre-separator ST 2 with 200 Litre container **Order No. 1203**

Industrial Vacuum Cleaners

Your Benefits At a Glance

SPÄNESOG-S

- Specialized industrial vacuum cleaner for metal chips and emulsion coated materials
- Compact and user friendly design
- Washable oil and water resistant cartridge filter

Product Description

The SPÄNESOG is a specialized vacuum for metal chips and emulsion coated materials. Solid and liquid substances are collected in a container and separated. The fine dust is filtered out through the cartridge filter.

When the maximum fill level of the container is reached the vacuum turns off automatically in order to empty or dispose of the collected material.



SPÄNESOG-S



Clean up of brass chips and coolants at a CNC milling station

Technical Data

SPÄNESOG		-S
Max. airflow	m ³ /h	300
Intake diameter	mm	50
Max. negative pressure	Pa	20.000
Voltage	V	400
Motor	kW	2,2
Filter surface	m ²	4,2
Dust collection container	Litre	100
Dimensions (L/W/H)	mm	850 x 600 x 1.280
Weight	kg	90
Sound level	dB(A)	73
Order Number		8150

Features

Application Range:

- Extraction of metal chips and emulsion coated materials

Special Features:

- Washable oil and water resistant cartridge filter
- Long life cartridge filter

Your Benefits At a Glance

SPÄNESOG-SB

- Recirculation of extracted emulsions and coolants
- With tilt mechanism for forklift
- All other features are the same as our model SPÄNESOG



SPÄNESOG-SB

Product Description

The SPÄNESOG-SB is also equipped with a blowing mode for recirculating the extracted emulsions and coolants. Each side of the collection container is equipped with brackets for handling of the container with a forklift.



Removal of brass chips and coolants at a CNC milling station

Features

Application Range:

- Machine cleanup on drill presses
- Removal of metal chips with coolants
- Cleaning of CNC milling and boring centres

Special Features:

- Switchable from vacuuming to blowing mode
- Specially equipped collection container with bracket for handling with a forklift.



Technical Data

SPÄNESOG		-SB
Max. airflow	m ³ /h	300
Intake diameter	mm	50
Max. negative pressure	Pa	20.000
Voltage	V	400
Motor	kW	2,2
Filter surface	m ²	4,2
Dust collection container	Litre	100
Dimensions (L/W/H)	mm	850 x 600 x 1.280
Weight	kg	105
Sound level	dB(A)	73
Order Number		8151



Industrial Vacuum Cleaners

Application

Application Range:

- Construction Industry
- Chemical Industry
- Printing Industry
- Flocking Industry
- Janitorial Services
- Warehouses and Industrial Plants
- Craftsmen's Workshops
- Automotive Repair Shops
- Machine Building Industry
- Stone Processing
- Paper Industry
- Carpenters
- Textile Industry
- Transportation Businesses



EUROSOG

High performance industrial vacuum cleaners for coarse, fine and pourable types of dust.



DUROSOG

This model is suitable for dry dust, sticky dust and dust that tends to clump.



WHISPERSOG

Very quiet and powerful industrial vacuum cleaner for dry dust. Designed for continuous duty application.



SPÄNESOG

Specialized industrial vacuum cleaner for metal chips and emulsion coated materials.

Your Benefits At a Glance

**Wet/Dry Vacuum
MULTISOG-1, -2 and -3**

- Suitable for dust, dirt and liquids
- Compact and user friendly design
- Easy disposal of the collected dust

Product Description

The MULTISOG 1, 2 and 3 models are industrial vacuum cleaners that are suitable for dry dust and dirt as well as water and liquids.

The MULTISOG is available in three different models.



MULTISOG-1



Clean up of a machine with the MULTISOG 2

MULTISOG 1 is designed for clean-up work in shop areas as well as living and office areas. The more powerful model

MULTISOG 2 is equipped with two motors and has higher vacuum performance to tackle more difficult tasks.

The MULTISOG 3 features a collection container made of stainless steel.

Suitable attachments and accessories make it possible to quickly and efficiently clean larger shop and warehouse areas.

Technical Data

MULTISOG		-1	-2	-3
Max. airflow	m ³ /h	215	380	260
Intake connection diameter	mm	36	50	50
Max. negative pressure	Pa	21.000	20.000	24.000
Voltage	V	230	230	230
Motor	kW	1,2	2 x 1,0	1,5
Dust collection container	Litre	35	58	49
Dimensions (L/W/H)	mm	500 x 500 x 840	610 x 520 x 920	670 x 490 x 880
Weight	kg	13	20	25
Sound level	dB(A)	67	66	67
Order Number		4622	4722	4522

Features

Application Range:

- Clean up work in office and work areas

Special Features:

- Paper filter bags
- Fabric filter
- Mechanical liquid shut off device

Industrial Vacuum Cleaners

Your Benefits At a Glance

Wet/Dry Vacuum MULTISOG-3

- Suitable for dust, dirt and liquids
- Equipped with highly durable stainless steel container
- Compact and user friendly design
- Convenient disposal of the dust



MULTISOG-3

Product Description

The MULTISOG 3 is a wet and dry vacuum featuring a collection container made of stainless steel. High suction performance makes this model suitable for universal use.



MULTISOG 3 for clean up at a drill press

Features

Application Range:

- Clean up work in office and shop areas

Special Features:

- Disposable paper filter bags
- Fabric filter
- Mechanical liquid shut off device
- Stainless steel collection container

For technical data see page 49

PRETTYBOY 309



PRETTYBOY

PRETTYBOY 309

A light weight and very handy vacuum with a fine filter element. 900 Watts of power and a vacuum performance of 22.000 Pascal negative pressure make this unit an ideal vacuum for office clean-up. Included with the vacuum is a standard set of accessories and attachments.

Order No. 5309

ESTA FURNACE VACUUM

A small yet very powerful vacuum made of stainless steel that is highly mobile. This model is very popular with heating and ventilation technicians and custodians. The unit comes with a standard kit of accessories and attachments.

Order No. 5305

ESTA FURNACE VACUUM













ESTA FURNACE VACUUM

Your Benefits At a Glance

Accessories & Attachments

- Best Quality
- High quality workmanship
- Tight fit with ESTA attachments and accessories













Product Description	Order Number	ESTA FURNACE VACUUM PRETTYBOY	MULTISOG-1	MULTISOG-2	MULTISOG-3	DUROSOG-W/N	DUROSOG-W/M	DUROSOG-W/H	DUROSOG-I-D/N	DUROSOG-I-D/M	DUROSOG-I-D/H	DUROSOG-I-D/MB1	DUROSOG-I-D/HB1	DUROSOG-W/N	DUROSOG-W/M	DUROSOG-W/H	DUROSOG-I-D/N	DUROSOG-I-D/M	DUROSOG-I-D/H	DUROSOG-I-D/MB1	DUROSOG-I-D/MB1/H2	SPÄNESOG-5	SPÄNESOG-SB	WHISPERSOG 2.2 FM	WHISPERSOG 2.2 FA	WHISPERSOG 2.2 Jet	WHISPERSOG 3.0 FM	WHISPERSOG 3.0 FA
Disposable Filter Bags																												
 Disposable filter bag (1 Set = 5 pieces)	6020		•	•	•																							
Disposable filter bag (1 Satz = 10 pieces)	3017	•																										
Disposable filter bag (1 Set = 10 pieces)	5017					•	•	•	•	•	•	•	•															
Disposable filter bag (1 Set = 10 pieces)	5317	•																										
 Plastic collection bag approx. 100 Litre Capacity, (1 Set = 10 pieces)	91.015													•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
 Fleece filter bag (1 Set = 10 pieces)	3817																											
Hoses																												
 Vacuum hose Ø 36 mm, length 3 m, with connector cuff and wand	3601		•																									
 Vacuum hose Ø 36 mm, length 3 m, with connector cuff, wand and 2-piece wand extension	3910		•																									
 Vacuum hose Ø 36 mm, black, crushable, without connectors, sold by the meter	3602		•																									
 Floating vacuum hose Ø 38 mm, length 5 m, with 2 connector cuffs	3801																											
 Drain hose Ø 50 mm, length 10 m, with connector coupling	3912																											
 Return hose Ø 50 mm, length 2 m, with connector coupling and distribution end piece	3812																											
 Vacuum hose Ø 50 mm, length 2 m, crushable with connector cuffs	5001		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•						

Industrial Vacuum Cleaners

Your Benefits At a Glance

Accessories & Attachments

- Best Quality
- High quality workmanship
- Tight fit with ESTA attachments and accessories

Product Description	Order No.	ESTA FURNACE VACUUM	PRETTYBOY	MULTISOG-1	MULTISOG-2	MULTISOG-3	DUROSOG-W/N	DUROSOG-W/M	DUROSOG-W/H	DUROSOG-I-D/N	DUROSOG-I-D/M	DUROSOG-I-D/H	DUROSOG-I-D/MB1	DUROSOG-I-D/H/B1	DUROSOG-I-D/H/B1	EUROSOG-W/N	EUROSOG-W/M	EUROSOG-W/H	EUROSOG-I-D/N	EUROSOG-I-D/M	EUROSOG-I-D/H	EUROSOG-I-D/MB1	EUROSOG-I-D/MB1/H2	SPÄNESOG-5	SPÄNESOG-5B	WHISPERSOG 2.2 FM	WHISPERSOG 2.2 FA	WHISPERSOG 2.2 Jet	WHISPERSOG 3.0 FM	WHISPERSOG 3.0 FA	
Nozzles/Brushes																															
 Pool floor cleaning nozzle 460 mm wide	3808																														
 Car cleaning brush 120 x 30 mm	3613		•																												
 Metal floor cleaning tool Ø 50 mm round, 500 mm wide, for B-1 model, with two height adjustable guide wheels	6008												•	•																	
 Metal crevice tool Ø 50 mm round, chrome plated, vacuum opening 95 mm	5059												•	•																	
 Wide metal vacuum tool Ø 50 mm round, chrome plated, vacuum opening 115 mm	5060												•	•																	
 Industrial strength metal floor cleaning tool Ø 50 mm, 500 mm wide, heavy duty design, with two height adjustable guide wheels	5008			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
 Crevice tool Ø 50 mm (58 mm), 350 mm wide	5004			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
 Pointed vacuum nozzle Rubber, vacuum opening of 10 mm can be enlarged up to Ø 25 mm by cutting the tip off	5009			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
 Machine cleaning tool Ø 50 mm, made of rubber, jointed vacuum opening 95 x 15 mm, incl. tapered aluminium end	50010			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
 Pipe cleaning tool (Banana brush) Ø 50 mm, jointed for cleaning pipe surfaces with a max. Ø of 100 mm that are hard-to-access	5011			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
 Pipe cleaning tool (Banana brush) Ø 50 mm, jointed for cleaning pipe surfaces with a max. Ø of 200 mm that are hard-to-access	5012			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
 Square extraction hood Ø 50 mm, made of PVC, for extracting light dust and particles	5007			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•














Industrial Vacuum Cleaners

Industrial Vacuum Cleaners

Your Benefits At a Glance

Accessories & Attachments









- Best Quality
- High quality workmanship
- Tight fit with ESTA attachments and accessories

Product Description	Order No.	ESTA FURNACE VACUUM	PRETTYBOY	MULTISOG-1	MULTISOG-2	MULTISOG-3	DUROSOG-W/N	DUROSOG-W/M	DUROSOG-W/H	DUROSOG-I-D/N	DUROSOG-I-D/M	DUROSOG-I-D/H	DUROSOG-I-D/MB1	DUROSOG-I-D/H/B1	EUROSOG-W/N	EUROSOG-W/M	EUROSOG-W/H	EUROSOG-I-D/N	EUROSOG-I-D/M	EUROSOG-I-D/H	EUROSOG-I-D/MB1	EUROSOG-I-D/MB1/H2	SPÄNESOG-5	SPÄNESOG-5B	WHISPERSOG 2.2 FM	WHISPERSOG 2.2 FA	WHISPERSOG 2.2 Jet	WHISPERSOG 3.0 FM	WHISPERSOG 3.0 FA		
Nozzles/Brushes																															
 Metal floor cleaning tool for DUROSOG model, with connection hose	5018					•	•	•	•	•	•	•																			
 Metal floor cleaning tool for EUROSOG model, with connection hose	5003														•	•	•	•	•	•	•										
 Wide nozzle Ø 63 mm, vacuum opening 110 x 30 mm	96.163			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
 Crevice tool Ø 63 mm, vacuum opening 85 x 20 mm	96.263			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Floor Wands																															
 Floor wand Ø 35 mm, 2-piece, length 530 mm	3603			•																											
 Floor wand Ø 50 mm, length 1200 mm, angled, aluminium, with tapered intake	5013				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
 Floor wand Ø 50 mm, length 1500 mm, aluminium	5020				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
 Floor wand Ø 50 mm, 2-piece, length 1400 mm, stainl. steel	6013			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Miscellaneous																															
 Telescopic extension Extends from 2.4 – 4.8 m	2304																														
 Hose shut-off with ball valve for discharge hose	3915																														
 Swivel cuff Ø 50 mm, made of PVC	5035			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
 90 degree elbow machined	5026			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
 Universal-Adapter Ø 50 - 28 mm, made of PVC, for connecting handheld tools	6019			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

Your Benefits At a Glance

Accessories & Attachments

- Best Quality
- High quality workmanship
- Tight fit with ESTA attachments and accessories

Product Description	Order No.	ESTA FURNACE VACUUM	PRETTYBOY	MULTISOG-1	MULTISOG-2	MULTISOG-3	DUROSOG-W/N	DUROSOG-W/M	DUROSOG-W/H	DUROSOG-I-D/N	DUROSOG-I-D/M	DUROSOG-I-D/H	DUROSOG-I-D/MB1	DUROSOG-I-D/H/B1	DUROSOG-W/N	DUROSOG-W/M	DUROSOG-W/H	DUROSOG-I-D/N	DUROSOG-I-D/M	DUROSOG-I-D/H	DUROSOG-I-D/MB1	DUROSOG-I-D/MB1/H2	SPÄNESOG-5	SPÄNESOG-5B	WHISPERSOG 2.2 FM	WHISPERSOG 2.2 FA	WHISPERSOG 2.2 Jet	WHISPERSOG 3.0 FM	WHISPERSOG 3.0 FA		
Miscellaneous																															
 Dust extraction hood for grinding wheel Ø 50 mm, made of sheet metal	5014			•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	
 Dust extraction hood Ø 50 mm, made of sheet metal, for positioning on a workbench	5024			•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	
 Hose coupler Ø 50 mm, for connecting two vacuum hoses with opposing inside threads	5019			•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	
 Hose coupler Ø 50 mm, for connecting two vacuum hoses with tapered ends	5029			•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	
 Swivel cuff Ø 50 mm, made of steel, galvanized for specialized hose of B1-model	15.000.270													•	•																
 Hose coupler Ø 50 mm, made of aluminium	5016						•	•	•	•	•	•			•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	
Pre-separator																															
 Piggy-back pre-separator for industrial vacuums DUROSOG-W and -I-D	1104						•	•	•	•	•	•																			
 Pre-separator TR 1, Ø 50 mm, 100 Litre collection container, wheel base, collection container with plastic bag insert, cover with intake connection and outlet connection to the vacuum	1100						•	•	•	•	•	•			•	•	•	•	•	•	•										
Pre-separator TR 2, Ø 100 mm, 200 Litre collection container, wheel base, collection container with plastic bag insert, cover with intake connection and outlet connection to the vacuum	1200						•	•	•	•	•	•			•	•	•	•	•	•	•										

Industrial Vacuum Cleaners

Industrial Vacuum Cleaners

Your Benefits At a Glance

Accessories & Attachments

- Best Quality
- High quality workmanship
- Tight fit with ESTA attachments and accessories



Product Description	Order No.	ESTA FURNACE VACUUM	PRETTYBOY	MULTISOG-1	MULTISOG-2	MULTISOG-3	DUROSOG-W/N	DUROSOG-W/M	DUROSOG-W/H	DUROSOG-I-D/N	DUROSOG-I-D/M	DUROSOG-I-D/H	DUROSOG-I-D/M/B1	DUROSOG-I-D/H/B1	EUROSOG-W/N	EUROSOG-W/M	EUROSOG-W/H	EUROSOG-I-D/N	EUROSOG-I-D/M	EUROSOG-I-D/H	EUROSOG-I-D/M/B1	EUROSOG-I-D/M/B1/HZ	SPANESOG-S	SPANESOG-SB	WHISPERSOG 2.2 FM	WHISPERSOG 2.2 FA	WHISPERSOG 2.2 Jet	WHISPERSOG 3.0 FM	WHISPERSOG 3.0 FA
Pre-separator NA 1, Ø 50 mm, 100 Litre collection container, wheel base, collection container with strainer basket, cover with intake connection, float valve and outlet connection to the vacuum	1102						•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	
Pre-separator NA 2, Ø 100 mm, 200 Litre collection container, wheel base, collection container with strainer basket, cover with intake connection, float valve and outlet connection to the vacuum	1202						•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	
Pre-separator ST 1, Ø 50 mm, 100 Litre collection container, wheel base, collection container with hose connection on the side, filter cage and cloth filter for insertion of disposable paper filter bags, outlet connection to the vacuum	1103						•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	
Pre-separator ST 2, Ø 100 mm, 200 Litre collection container, wheel base, collection container with hose connection on the side, filter cage and cloth filter for insertion of disposable paper filter bags, outlet connection to the vacuum	1203						•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	

Give us a call, we will be happy to assist you.
Phone: +49 (0) 73 07/80 4-0

